

# CERTIFICATE OF COMPLIANCE

**Certificate Number** R18017  
**Report Reference** R18017-20200327  
**Issue Date** 2020-APRIL-28

**Issued to:** UNIQUE FIRE STOP PRODUCTS INC  
20850 RIVER RD  
ROBERTSDALE, AL 36567-3400

**This certificate confirms that  
representative samples of**

FIRESTOP DEVICES  
See Addendum.

Have been investigated by UL in accordance with the  
Standard(s) indicated on this Certificate.


**Standard(s) for Safety:** ANSI/UL 1479 (ASTM E814), Fire Tests of Penetration  
Firestops.  
CAN/ULC-S115, Method of Fire Tests of Firestops  
Systems.

**Additional Information:** See the UL Online Certifications Directory at  
<https://iq.ulprospector.com> for additional information.

This *Certificate of Compliance* does not provide authorization to apply the UL Mark. Only the UL Follow-Up  
Services Procedure provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's  
Follow-Up Services.

Look for the UL Certification Mark on the product.



Bruce Mahrenholz, Director North American Certification Program  
UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please  
contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>



# CERTIFICATE OF COMPLIANCE

**Certificate Number** R18017  
**Report Reference** R18017-20200327  
**Issue Date** 2020-APRIL-28

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

Type Unique Core Bore Seal "CBS" Firestop devices intended to be used as Classified "Firestop Devices" in various Through-Penetration Firestop Systems contained in the Fire Resistance Directory.

The firestop devices consist of a steel plate and firestop plug. The firestop devices are sized to fit the specific diameter of the through penetrant as tabulated below:

Firestop Device Designation	Nominal diameter of Through opening. in.
CBS 5.5	4-1/2 to 5-1/2
CBS 4.5	3-1/2 to 4-1/2
CBS 3.5	2 to 3-1/2
CBS 1.5	Less than 1-1/2



Bruce Mahrenholz, Director North American Certification Program

UL LLC

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact a local UL Customer Service Representative at <http://ul.com/aboutul/locations/>

